

## Certificate of Conformity

## Certificate Number: 180314093GZU-002

On the basis of the tests undertaken, the sample<s> of the below product have been found to comply with the requirements of the referenced specification<s>/standard<s> at the time the tests were carried out. This certificate is part of the full test report<s> and should be read in conjunction with it ;

Applicant Name & Address:	SHENZHEN GROWATT NEW ENERGY TECHNOLOGY CO., LTD			
	1st East & 3rd Floor of Building A, Building B, Jiayu Industrial Park, #28,			
	GuangHui Road, LongTeng Community, Shiyan Street, Baoan District,			
	Shenzhen, P.R.China			
Product Description:	PV Grid inverter			
Ratings & Principle Characteristics:	See Annex to Certificate of Conformity			
Models:	Growatt 17000TL3-S, Growatt 17000TL3-SE, Growatt 20000TL3-S,			
	Growatt 20000TL3-SE, Growatt 25000TL3-S, Growatt 25000TL3-SE,			
	Growatt 30000TL3-S, Growatt 30000TL3-SE, Growatt 33000TL3-S,			
	Growatt 33000TL3-SE, Growatt 40000TL3-NS, Growatt 40000TL3-NSE,			
	Growatt 50000TL3-S, Growatt 50000TL3-SE			
Relevant Standards	DIN V VDE V 0126-1-1:2013.08 Automatic disconnecting device			
Certificate Issuing Office:	Same as Intertek Legal Entity			
Date of Tests:	14 Mar., 2018 – 20 May., 2018			
Test Report Number(s):	160816043GZU-001 and Revision 1:31 May., 2018			
Additional information in Appendix				
	Stical & Neg			
Conviste.	Siehachale A			
Signature				
Name: Grady Ye				
Position: Manager Issuing Office: Intertek Legal Entity: Intertek				
Testing Services Shenzhen Ltd.				
Guangzhou Branch				

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Certificate are relevant only to the sample tested/inspected. This Certificate by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Date:

05 Jun 2018



## **APPENDIX: Certificate of Conformity**

This is an Annex to Certificate of Conformity with certificate/Report Number(s): 160816043GZU-004 and Revision 1:31 May., 2018. The issuing office is Intertek Legal Entity as above.

Ratings and	MODEL	Growatt	Growatt	Growatt	Growatt	
principal		30000TL3-S,	33000TL3-S,	40000TL3-NS,	50000TL3-S,	
characteristics		Growatt	Growatt	Growatt	Growatt	
		30000TL3-SE	33000TL3-SE	40000TL3-NSE	50000TL3-SE	
	Max PV voltage	1000Vdc				
	Voltage range	200-1000Vdc				
	MPPT voltage	450-800Vdc		540-800Vdc	645-850Vdc	
	Max input current	34A/34A 38A/38A				
	PV Isc	64A/64A				
	Max power	33.3KVA	36.6KVA	44.4KVA	53.3KVA	
	Max AC output current	3*48A	3*54A	3*64A	3*64A	
	Output voltage				3W/PE, 480Vac	
	Nominal	50Hz				
	Frequency					
	Power Factor	0.9 Leading to 0.9 Lagging				
	Ambient Temperature	-25℃ - +60℃				
	Protection Degree	IP65				

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Certificate are relevant only to the sample tested/inspected. This Certificate by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



## **APPENDIX: Certificate of Conformity**

This is an Annex to Certificate of Conformity with certificate/Report Number(s): 160816043GZU-001 and Revision 1:31 May., 2018.. The issuing office is Intertek Legal Entity as above.

Ratings and principal characteristics	MODEL	Growatt 17000TL3-S, Growatt 17000TL3-SE	Growatt 20000TL3-S, Growatt 20000TL3-SE	Growatt 25000TL3-S, Growatt 25000TL3-SE		
	Max PV voltage	1000Vdc				
	Voltage range	200-1000Vdc				
	MPPT voltage (full load)	400-800Vdc				
	Max input current		37.5/37.5A			
	PV Isc		45A/45A			
	Max power	18.8KVA	22.2KVA	27.7KVA		
	Output voltage		3W/N/PE 230Vac/400Va	c		
	Max output current	3×27.5 A	3×32.2	3×40.3		
	Nominal Frequency		50Hz			
	Power Factor	0.9 Leading to 0.9 Lagging				
	Ambient Temperature		-25℃ - +60℃	1		
	Protection Degree		IP65			

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Certificate are relevant only to the sample tested/inspected. This Certificate by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.